

COMPOUNDMAX SHANGHAI


Certificate of Analysis

Report Date: Apr. 19 .2009

Product	: Coenzyme Q10	Specification	: U.S.P 31/EP6/JP14
Batch No.	: S0904021	Manufacturing date	: 18 Apr. 2009
Package	: Aluminum tin	Expiry date	: 17 Apr.2011
Quantity	: 1kg	Contract No.	:

Test Item	Specification	Results
Description	Yellow to orange crystalline powder	confirm
Identification	Color Reaction: a blue color appears	Blue color appears
	IR	Complies with EP/USP/JP
Water	≤ 0.2%	0.06%
Residue on ignition	≤0.1%	0.04%
Heavy metals	≤ 0.002%	Complies
Chromatographic purity	Test 1: Sum of all impurities: ≤ 1.0%	Complies
	Test 2: Sum of all impurities: ≤ 1.0%	Complies
	Test 1& Test 2: Sum of all impurities: ≤ 1.5%	Complies
Related substances	Any impurity: NMT 0.5% as per EP	Complies
	Impurity F: NMT 0.5% as per EP	
Standard plate count	≤1,000cfu/g	Complies
Yeast and mold:	≤50cfu/g	Complies
Coliforms:	≤3cfu/g	Complies
E.coli:	Negative	Negative
Salmonella:	Negative	Negative
S.aureus:	Negative	Negative
Assay:	Not less than 98% of C ₅₉ H ₉₀ O ₄ calculated on the anhydrous basis	99.30 %

Conclusion: Complies with the requirements of U.S.P. 31/EP6/JP14.



Authorized signature